ABATEMENT APPROVAL REQUEST

Account Number:	200225	Map/Lot/Se	quence:	8-13-80	Bill	#:	NYB
Owner Name:	LaFave Jai	mes A & Barba	ıra A				
Owner Name:							
Mailing Address:	25 Perkins	Ave, #80					
	Seabrook,	NH 03874				***************************************	
Parcel Location:	80 LILLIAN	AVENUE	Total Ab	patement Amount:	\$110.6	39	
Cause of Abatement				nn usual usage and f placed and leak repa		ing unde	r the mobile
	Slaytery Superintend	lent		Date: <u>/</u>	(13/2=21		
DATE: THE ABOVE A	PPLICATIO	N FOR AN AB	ATEMEN	IT HAS BEEN MA	DE PER ORDE	R,	
	Theresa A	Kyle, Chairpen	son				
	Ella M Brow	vn, Vice Chairp	erson				
	Aboul B Kh	an, Clerk					

Respectfully submitted,

Evie Wasson, Water Clerk

GL Account #	Reason(s) for Abatement	Year	Amount
20-000-11500-000	ABATE WATER USE	2020	
21-000-11500-000	ABATE SEWER USE	2020	110.69
20-000-11500-004	ABATE WATER SERVICE CHARGE	2020	
21-000-11500-004	ABATE SEWER SERVICE CHARGE	2020	
20-520-34020-001	ABATE APPLICATION FEE FOR NEW SERVICE	2020	
20-520-34020-001	ABATE INSTALL/REMOVAL/FEE	2020	
	TOTAL ABATEMEN	TAUOMA TA	\$110.69

Original to: Tax Collector CC to: Water Office and Finance Office

80 LILLIAN AVE - Account # 200225 LaFave James A & Barbara A

MLS: 8-13-80

	Date	Mo.	Dundana	C	Gallons		Cost	per Q	uarter		Bill		
	Read	of:	Previous	Current	Used	Water	Sewer	WSC	SSC	Total	#	Billed	Paid
	11/02/20	Oct	739,641	767,950	28,309								
ed	12/04/20	Nov	767,950	785,386	17,436								
I≣I	01/01/21	Dec	785,386	788,230	2,844								
		2020	- 4th Quar	ter Usage	48,589	228.18	125.25	15.30	15.30	384.03		NYB	NYP
*6	10/31/19	Oct	687,339	690,796	3,457								
lat	12/04/19	Nov	690,796	694,908	4,112								
늘	01/02/20	Dec	694,908	700,009	5,101								
E S	12/04/19 01/02/20	2019	- 4th Quar	ter Usage	12,670	26.57	14.56	15.30	15.30	71.72	194936	01/29/20	02/12/20
^			D	ifferences:	35,919	Α	110.69						

^{*} Estimate based on a prior years' normal usage

THE REPORT OF THE PROPERTY OF	and the second second	Market Committee Com	property of property and the second
o a UB Master Reco	rd (200225 - LAFA	VE JAMES A & BARBARA	A)
inging a UBMETER Re	ecord (200225)	
ral Usage Hist Gun	Readings		

Read Date	Prev Reading	This Reading	Usage	~
12/31/2020	785,386	788,230	2,844	48,589
11/30/2020	767,950	785,386	17,436	40,309
11/02/2020	739,641	767,950	28,309	J
8/30/2020	736,007	739,641	3 634	
8/31/2020	731,341	736,007	4,666	
8/03/2020	727,729	731,341	3,612	
6/30/2020	723,649	727,729	4,080 }	
6/01/2020	716,894	723,649	6,755	
5/01/2020	711,836	716,894	5,058	
3/30/2020	707,316	711,836	4,520	
3/02/2020	702,910	707,316	4,406	
2/03/2020	700,009	702,910	2,901	_
1/02/2020	694,908	700,009	5,101	40.070
12/04/2019	690,796	694,908	4,112	12,670
10/31/2019	687,339	690,796	3,457	J

TOWN OF SEABROOK, NH SELECTMENS' OFFICE POBOX 456 SEABROOK NH 03874 LAND OWNERS WATER ABATEMENT/REFUND REQUEST FORM

Request: Abatement / Refund Complaint Report Date: Date:
Land Owner Name LaFave James A & Barbara A
Mailing Address 25 Perkins Ave, #80 Telephone # <u>(603) 814-1591</u>
Street Address: 80 LILLIAN AVE Abatement/Refund Amount
Reason for Request (please describe in FULL detail): 01/ the water ran under our
nobile home, We have NO sewer I the plumbers promper
the water out on the ground. They also replaced the pipes
that had retted out cracted here to st no support
under the meter
Additional information (please include copies of any documentation of repairs performed, such as bill, invoice, etc):
Land Owner Name: (Print) x Barbara & James La Fave Land Owner Signature: x Barbara La James Lames La Fave
* Excerpt from page 24 of Seabrook Municipal Water System Ordinance
Section 9.11 Abatement Abatements may be made by the Water Commissioners upon the customer's request, provided one of the following reasons is given:
 financial hardship, as evidenced by the customer receiving aid at the time of the abatement; fire or disaster;
 to correct a billing error; or for such other reason as may be determined by the Board of Water Commissioners.
Customers shall not be prohibited from making an abatement request, nor shall the Water Commissioners be obligated to grant an abatement.
Action Taken:
Date:



PO Box 1695 Salem, NH 03079

Invoice Date 11/9/2020 Completed Date Customer PO

> Job Address Jim Lafave 80 Lillian Avenue Seabrook, NH 03874 USA

> > 4

Billing Address
Jim Lafave
80 Lillian Avenue
Seabrook, NH 03874 USA

Description of Work

Water meter connectio	ns are leaking on be	oth sides of m	eter				
Task #	Description				Quantity	Your Price	Your Total
PL QT	Disconnect meter ho checked for leaks	ousing cut bad	pipe reconnect meter and check	vaive	1.00	\$425.75	\$425.75
Discount Senior/Military 10%	10% Senior/Military, another offer or disc		unt. Can not be combined with		1.00	\$-42.50	\$-42.50
PL QT	Emergency call				1.00	\$299.00	\$299.00
Paid On	Ty	уре	Memo		Amount		
11/9/2020	V	isa ————————		100	682.25		
				Y		Sub-Total	\$682.25
			Allen	. 3		Tax	\$0.00
					4	Total Due Payment	\$682.25 \$682.25
					J)	Balance D	ue \$0.00
		Thank you for t	he opportunity to serve you!		4		

This invoice is agreed and acknowledged. Payment is due upon receipt. A service fee will be charged for any returned checks, and a financing charge of 1% per month shall be applied for overdue amounts.

Anna q tave

11/9/2020
I have inspected all of the work done by Cornerstone Plumbing Services LLC pursuant to the contract terms agreed by me at Jim Lafave [the location described in the contract]. I find that all work has been completed in a satisfactory and workmanlike manner. I have been given the opportunity to address concerns and/or discrepancies in the work provided, and I either have no such concerns or have found no discrepancies or they have been addressed by [the contractor] to my satisfaction. My signature here signifies my full and final acceptance of all work performed by the contractor pursuant to the contract as agreed.

11/9/2020

I authorize Cornerstone Plumbing Services LLC to charge the agreed amount to my credit card provided herein. I agree that I will pay for this purchase in accordance with the issuing bank cardholder agreement.

11/9/2020